Specificities

La mise en page doit être **intégrée au calque «print - hotstamp»**.
Veuillez **incorporer vos liens** à la création.
Le fichier envoyé doit être **entièrement vectorisé** (typographies !), sous format exploitable **Ai ou Pdf**.
Nous n'acceptons **pas** les formats **déjà pixellisés** (JPEG, PNG...).

- Tolérances de positionnements des logos et photos de +/-0.5 cm.

MISE EN GARDE
Supprimez toutes les lignes d'aide, les échelles et les commentaires avant de confirmer votre design **(supprimez le calque «comments»)**, et vérifiez bien qu'il soit aux **bonnes dimensions**. Supprimez les pages du document inutiles.

The layout must be **integrated into the "print - hotstamp" layer.**
Please **incorporate your links** into the design.
The file sent must be **fully vectorized** (types!), in usable **Ai or Pdf format**.
We **do not** accept **already pixelated** formats (JPEG, PNG...).

- Tolerances of positioning of logos and photos of +/-0.5 cm.

WARNING
Remove all help lines, scales and comments before confirming your design **(remove the "comments" layer)**, and make sure **it is the right size**. Delete unnecessary pages from the document.

De lay-out moet worden **geïntegreerd in de "print - hotstamp" laag.**
Neem **uw links op in de creatie.**
Het toegestuurde bestand moet **volledig gevectoriseerd zijn** (typografieën!), in bruikbaar **Ai of Pdf formaat**.
Wij aanvaarden **geen reeds gepixelde formaten** (JPEG, PNG...).

- Plaatsingstoleranties voor logo's en foto's van +/-0,5 cm.

WAARSCHUWING
Verwijder alle hulplijnen, schalen en opmerkingen voordat u uw ontwerp bevestigt **(verwijder de laag "comments")**, en zorg ervoor dat **het de juiste maat is**. Verwijder overbodige pagina's uit het document.

Das Layout muss in die **Ebene "print - hotstamp" integriert werden**.
Bitte **binden Sie Ihre Links in die Erstellung ein**.
Die gesendete Datei **muss vollständig vektorisiert sein** (Typografien!), im brauchbaren **Ai- oder Pdf-Format**.
Wir akzeptieren keine **bereits verpixelten Formate** (JPEG, PNG...).

- Positionierungstoleranzen für Logos und Fotos von +/-0,5 cm.

WARNUNG
Entfernen Sie alle Hilfslinien, Skalen und Kommentare, bevor Sie Ihren Entwurf bestätigen **(entfernen Sie die Ebene "comments"),** und stellen Sie sicher, dass es die **richtige Größe hat**. Löschen Sie alle nicht benötigten Seiten aus dem Dokument.

Il layout deve essere integrato nel **livello "print - hotstamp".**
Si prega di **incorporare i vostri link** nella creazione.
Il file inviato deve essere **completamente vettorializzato** (tipografie!), in formato **Ai o Pdf utilizzabile.**
Non accettiamo **formati già pixelati** (JPEG, PNG...).

- Tolleranze di posizionamento per loghi e foto di +/-0,5 cm.

ATTENZIONE
Rimuovi tutte le linee di aiuto, le scale e i commenti prima di confermare il tuo disegno **(rimuovi il livello "comments"),** e assicurarsi che sia **della misura giusta**. Elimina le pagine non necessarie dal documento.

La maquetación debe **integrarse en la capa "print - hotstamp".**
Por favor, **incorpore sus enlaces** en la creación.
El archivo enviado debe estar **completamente vectorizado** (¡tipografías!), en **formato Ai o Pdf utilizable.**
No aceptamos **formatos ya pixelados** (JPEG, PNG...).

- Tolerancias de posicionamiento de logotipos y fotos de +/-0,5 cm.

ADVERTENCIA
Elimine todas las líneas de ayuda, escalas y comentarios antes de confirmar su diseño **(elimine la capa de "comments"),** y asegúrese de que es del **tamaño adecuado**. Elimine las páginas innecesarias del documento.

SCREENPRINTING

GBCL2222 - kraft
EXT.SIZE 22,5 x 10,3 x 22,5 CM





box development

Print area

fold lines

minimum lines thickness 0.5 mm - text 7 pts minimum
mandatory vectorization
no raster images - no pantones
Choose you color in our standards

Choose only **ONE area** to print. Please, delete those you don't need.

A1 - outside lid
16 x 16 CM

A2 - magnetic flap opening
16 x 6,5 CM

A3 - inside lid
16 x 16 CM

HOTFOIL

GBCL2222 - kraft
EXT.SIZE 22,5 x 10,3 x 22,5 CM





box development

Print area

fold lines

minimum lines thickness 0.5 mm - text 7 pts minimum
mandatory vectorization
no raster images - no pantones
Choose you color in our standards

Choose only **ONE area** to print. Please, delete those you don't need.

A1 - outside lid
16 x 16 CM

A2 - magnetic flap opening
16 x 6,5 CM

A3 - inside lid
16 x 16 CM

DIGITAL

GBCL2222 - kraft
EXT.SIZE 22,5 x 10,3 x 22,5 CM



NO PRINT INSIDE



box development

Print area

fold lines

minimum lines thickness 0.5 mm - text 7 pts minimum
mandatory vectorization
no raster images - no pantones
Choose you color in our standards

Choose only **ONE area** to print. Please, delete those you don't need.

A1 - outside lid
16 x 16 CM

A2 - magnetic flap opening
16 x 6,5 CM

A3 - inside lid
16 x 16 CM

SCREENPRINTING

GBCL2233 - kraft
EXT.SIZE 34,3x23x10,5 CM





box development

fold lines

Print area

minimum lines thickness 0.5 mm - text 7 pts minimum
mandatory vectorization
no raster images - no pantones
Choose you color in our standards

Choose only **ONE area** to print. Please, delete those you don't need.

A1 - outside lid
16 x 16 CM

A2 - magnetic flap opening
16 x 6,2 CM

A3 - inside lid
16 x 16 CM

HOTFOIL

GBCL2233 - kraft
EXT.SIZE 34,3x23x10,5 CM





box development

fold lines

Print area

minimum lines thickness 0.5 mm - text 7 pts minimum
mandatory vectorization
no raster images - no pantones
Choose you color in our standards

Choose only **ONE area** to print. Please, delete those you don't need.

A1 - outside lid
16 x 16 CM

A2 - magnetic flap opening
16 x 6,2 CM

A3 - inside lid
16 x 16 CM

DIGITAL

GBCL2233 - kraft
EXT.SIZE 34,3x23x10,5 CM



NO PRINT INSIDE



box development

fold lines

Print area

minimum lines thickness 0.5 mm - text 7 pts minimum
mandatory vectorization
no raster images - no pantones
Choose you color in our standards

Choose only **ONE area** to print. Please, delete those you don't need.

A1 - outside lid
16 x 16 CM

A2 - magnetic flap opening
16 x 6,2 CM

A3 - inside lid
16 x 16 CM

SCREENPRINTING

GBCL3040 - kraft
EXT.SIZE 41x31x15,3 CM





box development

Print area

fold lines

minimum lines thickness 0.5 mm - text 7 pts minimum
mandatory vectorization
no raster images - no pantones
Choose you color in our standards

Choose only **ONE area** to print. Please, delete those you don't need.

A1 - outside lid
16 x 16 CM

A2 - magnetic flap opening
16 x 11 CM

A3 - inside lid
16 x 16 CM

HOTFOIL

GBCL3040 - kraft
EXT.SIZE 41x31x15,3 CM





box development

Print area

fold lines

minimum lines thickness 0.5 mm - text 7 pts minimum
mandatory vectorization
no raster images - no pantones
Choose you color in our standards

Choose only **ONE area** to print. Please, delete those you don't need.

A1 - outside lid
16 x 16 CM

A2 - magnetic flap opening
16 x 11 CM

A3 - inside lid
16 x 16 CM

DIGITAL

GBCL3040 - kraft
EXT.SIZE 41x31x15,3 CM



NO PRINT INSIDE



box development

Print area

fold lines

minimum lines thickness 0.5 mm - text 7 pts minimum
mandatory vectorization
no raster images - no pantones
Choose you color in our standards

Choose only **ONE area** to print. Please, delete those you don't need.

A1 - outside lid
16 x 16 CM

A2 - magnetic flap opening
16 x 11 CM

A3 - inside lid
16 x 16 CM